

All of our WATCH MOVEMENTS are manufactured to the high standard of reliability stipulated by **ISO 9001/14001 SERIES**



TIME MODULE LTD.

7/F Ying Tung Industrial Building, 802 Lai Chi Kok Road, Kowloon, Hong Kong
Tel: (852) 2429-7979 Fax: (852) 2420-6992 Email: info@timemodule.com



www.timemodule.com



Soy ink is used.

TMI Catalogue (Eng) 2026_02

The background of the right page is a detailed, close-up photograph of watch mechanical movements. The image is dark with a blue and purple color cast, highlighting the intricate gears, jewels, and metal components. The 'TMI' logo is visible on some of the parts.

TMI
TIME MODULE

**MOVEMENT
CATALOGUE**

2026-2027

ABOUT TMI

Our journey began in 1987 in Ginza, Tokyo, where we first established Time Module Inc. (TMI). From the start, our name reflected our mission: a “module” is more than a component - it is the heart of a watch, turning moments into precise measurement. By calling ourselves Time Module, we declared our pursuit of building blocks that make time tangible, reliable, and beautifully engineered.


Over the years, we have become a trusted global supplier of watch movements, powering millions of timepieces, and serving watch brands worldwide, demonstrating our unwavering commitment to precision, durability, and quality.

In every module we create, we honor the essence of time.

OUR STRENGTH

Integrated Production System

From R&D, material development, key parts processing, movement assembling to quality inspection, all processes are handled in-house by our Group companies under a stringent integrated production system. We work closely with one another in order to stably supply high-quality, cost-effective products to the market.



CARE FOR QUALITY CARE FOR NATURE

We pursue a better environment by removing the hazardous mercury and lead from all movements’ batteries since 2008.

Mercury Free
0%Hg

RoHS
compliant



CONTENTS

1	NH Mechanical Movement	P3-6
2	VK Premium Chronograph Movement	P7-8
3	VD5 Standard Chronograph Movement	P9-10
4	VD3 Dual Time Movement	P11-12
5	VH Sweep Second Movement	P13-14
6	VJ Slim Movement	P15-16
7	VC Small Movement	P17
8	PC Standard Movement	P18
9	Hand Height Options	P19-20
10	Stem Length Options	P21
11	Mechanical Movements - Index	P22
12	Quartz Movements - Index	P23-24
13	Sub-dial Position References	P25
14	Watch Design Samples	P26

MOVEMENT CATALOGUE




NH3 Series

12^{mm}


NH34

Height: 5.32mm
Centre GMT hand
3 hands / date
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels



NH37


Height: 5.32mm
3 hands / date, 24 hour
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels



NH35




Height: 5.32mm
3 hands / date
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels



NH38




Height: 5.32mm
3 hands, open-heart
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels



NH36




Height: 5.32mm
3 hands / day-date
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels



NH39

Height: 5.32mm
3 hands, 24 hour, open-heart
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels



NH34 Automatic GMT

What is the GMT watch function?


At its most basic and essential function, the GMT watch allows you to set an additional time zone on your watch. It has a second hour hand on the same watch face that's geared to rotate once every 24 hours, or half as fast as the other hour hand.

What does GMT stand for?

Greenwich Mean Time, known more commonly as GMT, is the mean, or average, solar time according to the Royal Observatory in Greenwich, London. The Prime Meridian at Greenwich is the reference for every time zone in the world.



Rotor Side



Mechanical Movement

NH7 Series
More information




NH7 Series

12'''


NH70 H

Height: 5.32mm
3 hands
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels
Côtes de Genève decorated rotor
Silver




NH71 H

Height: 5.32mm
3 hands
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels
Côtes de Genève decorated rotor
Gilt




NH72 H


Height: 5.32mm
3 hands
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels
Côtes de Genève decorated rotor
Ruthenium Grey



Skeleton Dial



Côtes de Genève decorated rotor



NH0 Series
More information



NH0 Series

7³/₄'''

NH05

Height: 5.92mm
3 hands / date
21,600 vibrations per hour (3Hz)
21 jewels



NH06

Height: 5.92mm
3 hands / day-date
21,600 vibrations per hour (3Hz)
21 jewels



CASE SIZE (3h-9h)
26mm



CASE SIZE (3h-9h)
27.8mm

Premium Chronograph Movement

VK Series
More information



Quartz Chronograph Mechanical Action



CASE SIZE (3h-9h)
41mm



CASE SIZE (3h-9h)
41mm



Instant Zero Reset of Chrono Hands




Centre 1/5 Chrono Second



Click Feeling Push Buttons

Three Pointed Hammer (Instant zero reset function)




Three pointed hammer has once been exclusive to our mechanical chronographs.
VK premium chronograph series (quartz movements) inherit the technology, setting newly high standard for true chronographs.

VK Series

13 1/2"


VK61 H

Height: 5.10mm
Chrono (centre 1/5 sec, min)
Small second, date
Battery: 3 years (SR936SW)




VK64 H

Height: 5.10mm
Chrono (centre 1/5 sec, min)
24 hour, date
Battery: 3 years (SR936SW)




VK63 H

Height: 5.10mm
Chrono (centre 1/5 sec, min)
24 hour, small second, date
Battery: 3 years (SR936SW)




VK63




VK67 H

Height: 5.10mm
Chrono (centre 1/5 sec, min, hr)
Small second, date
Battery: 3 years (SR936SW)




VK68 H

Height: 5.10mm
Chrono (centre 1/5 sec, min)
24 hour, small second, date
Battery: 3 years (SR936SW)



VK73

Height: 5.90mm
Chrono (centre 1/5 sec, min)
24 hour, small second, date
Battery: 3 years (SR936SW)
BIG Calendar



VK73




Standard Chronograph Movement

VD5 Series
More information



Strong Hand Torque



VD5F

CASE SIZE (3h-9h)
44mm

(measure : unbalance weight)

Hour hand	0.60μN·m
Minute hand	0.90μN·m
Second hand	0.09μN·m

Flexible Sizing



VD53


CASE SIZE (3h-9h)
44mm

CASE SIZE (3h-9h)
36mm


VD5 Series

12³/₄"


VD5F HS
Height: 4.57mm
Chrono (sec, 60 min)
Date
Battery: 3 years (SR920SW)




VD51 HS
Height: 4.57mm
Chrono (sec, 60 min)
Date
Battery: 3 years (SR920SW)




VD50 HS
Height: 4.57mm
Chrono (1/10 sec, sec, 60 min)
Date
Battery: 3 years (SR920SW)




VD52 HS
Height: 4.57mm
Chrono (sec, 60 min)
24 hour, date
Battery: 3 years (SR920SW)




VD54 H
Height: 3.97mm
Chrono (sec, 60 min)
24 hour
Battery: 3 years (SR920SW)




VD53 HS
Height: 4.57mm
Chrono (sec, 60 min)
24 hour, date
Battery: 3 years (SR920SW)




VD55 H
Height: 3.97mm
Chrono (1/10 sec, sec, 60 min)
24 hour
Battery: 3 years (SR920SW)




VD57 HS
Height: 4.57mm
Chrono (1/10 sec, sec, 60 min)
Date
Battery: 3 years (SR920SW)
Super High Hand



VD56 H
Height: 3.97mm
Chrono (1/10 sec, sec, 60 min)
24 hour
Battery: 3 years (SR920SW)



VD59 HS
Height: 4.57mm
Chrono (1/10 sec, sec, 60 min)
Sun & moon
Battery: 3 years (SR920SW)



Country of Origin: VD5 Series - Japan

H hand height options: P,19-P,20 S stem length options: P,21
Super High Hand Type LLA, Type LLB hand height options available

Dual Time Movement


VD3 Series
More information



Strong Hand Torque
Dual Time Movement with Pushers



CASE SIZE (3h-9h)
40mm



(measure : unbalance weight)

Hour hand	0.60μN·m
Minute hand	0.90μN·m
Second hand	0.09μN·m




2nd Time Zone Indication



London
01:08 AM

Tokyo
10:08 AM

New York
08:08 PM




Compatible with VD5 Standard Chronograph Movements

VD3 Series

12³/₄"


VD31 HS

Height: 4.57mm
Dual time
Local time: 3 hands, 24 hr, date
2nd time: 24 hr
Battery: 3 years (SR920SW)




VD32 H

Height: 3.97mm
Dual time
Local time: 3 hands, 24 hr
2nd time: 24 hr
Battery: 3 years (SR920SW)




VD33 HS

Height: 4.57mm
Dual time
Local time: 3 hands, 24 hr, date
2nd time: 12 hr, min
Battery: 3 years (SR920SW)




VD34 H

Height: 3.97mm
Dual time
Local time: 3 hands, 24 hr
2nd time: 12 hr, min
Battery: 3 years (SR920SW)




VD35 HS

Height: 4.57mm
Dual time
Local time: 3 hands, date
2nd time: 24 hr, min
Battery: 3 years (SR920SW)




VD36 H

Height: 3.97mm
Dual time
Local time: 3 hands
2nd time: 24 hr, min
Battery: 3 years (SR920SW)




VD37 HS

Height: 4.57mm
Dual time
Local time: 3 hands, date
2nd time: 12 hr, 24 hr, min
Battery: 3 years (SR920SW)



VD38 H

Height: 3.97mm
Dual time
Local time: 3 hands
2nd time: 12 hr, 24 hr, min
Battery: 3 years (SR920SW)



CASE SIZE (3h-9h)
40mm



CASE SIZE (3h-9h)
42mm

Country of Origin: VD3 Series - Japan


H hand height options: P.19-P.20 S stem length options: P.21

Sweep Second Movement

VH Series
More information



CASE SIZE (3h-9h)
40mm



Sweep Second

Centre second hand moves 4 times per second
resembles mechanical movement.



Strong Hand Torque (measure : unbalance weight)

	Common Quartz	VH Series	Common Quartz vs VH Series	
Second hand	0.07µN·m	0.30µN·m		About 400% Up
Small hand	0.05µN·m	0.10µN·m		About 200% Up

internal product comparison



CASE SIZE (3h-9h)
29mm



CASE SIZE (3h-9h)
40mm




CASE SIZE (3h-9h)
38mm


VH Series

10 1/2"


VH60 HS
Height: 3.45mm
Sweep second
Multi-eye (24 hr)
Battery: 2 years (SR920SW)
Type LA




VH65 HS
Height: 3.45mm
Sweep second
Multi-eye (date)
Battery: 2 years (SR920SW)




VH61 HS
Height: 3.45mm
Sweep second
Multi-eye (date, 24 hr)
Battery: 2 years (SR920SW)
Type S




VH64 HS
Height: 3.45mm
Sweep second
Multi-eye (day, date)
Battery: 2 years (SR920SW)
Type S




VH63 HS
Height: 3.45mm
Sweep second
Multi-eye (day, date, 24 hr)
Battery: 2 years (SR920SW)
Type LA | Type S




VH67 HS
Height: 3.45mm
Sweep second
Multi-eye (day, date, 24 hr)
Battery: 2 years (SR920SW)
Type S



VH68 HS
Height: 3.45mm
Sweep second
Multi-eye (day, date, 24 hr)
Battery: 2 years (SR920SW)



VH31 HS
Height: 3.45mm
Sweep second
3 hands
Battery: 2 years (SR920SW)



Country of Origin: VH Series - Japan

H hand height options: P.19-P.20 S stem length options: P.21
Type LA | Type S hand height options available

Slim Movement

VJ Series
More information



2 Hands



3 Hands



2 Hands / Date



3 Hands / Date



3 Hands / Day-Date




3 Hands / Wide Day-Date



3 Hands / Big Calendar


VJ20 H

Height: 2.28mm
Battery: 3 years (SR621SW)



VJ21 H

Height: 2.28mm
Battery: 3 years (SR621SW)



VJ24 S

Height: 2.71mm
Battery: 3 years (SR621SW)



VJ22 HS

Height: 2.71mm
Battery: 3 years (SR621SW)



VJ23 HS

Height: 2.94mm
Battery: 3 years (SR621SW)



VJ14 S

Height: 2.71mm
Battery: 3 years (SR621SW)



VJ12 HS

Height: 2.71mm
Battery: 3 years (SR621SW)



VJ34 S

Height: 2.71mm
Battery: 3 years (SR621SW)



VJ32 HS

Height: 2.71mm
Battery: 3 years (SR621SW)



VJ33 HS

Height: 2.94mm
Battery: 3 years (SR621SW)



VJ42

Height: 2.71mm
Battery: 3 years (SR621SW)



VJ43

Height: 2.94mm
Battery: 3 years (SR621SW)



VJ45

Height: 2.94mm
Battery: 3 years (SR621SW)



VJ76


Height: 3.50mm
Battery: 3 years (SR621SW)



BIG Calendar

VJ52

Height: 2.71mm
Battery: 3 years (SR621SW)



VJ53

Height: 2.94mm
Battery: 3 years (SR621SW)



VJ55

Height: 2.94mm
Battery: 3 years (SR621SW)



6³/₄"
x 8"

8³/₄"

10¹/₂"

11¹/₂"

12¹/₂"

6³/₄"
x 8"

8³/₄"

10¹/₂"

11¹/₂"

12¹/₂"

Small Movement

VC Series
More information



2 Hands



3 Hands



VC00 HS

Height: 2.38mm
Battery: 3 years (SR521SW)

VC01 HS

Height: 2.38mm
Battery: 3 years (SR521SW)

4 3/4"



VC10 HS

Height: 2.38mm
Battery: 3 years (SR521SW)

VC11 HS


Height: 2.38mm
Battery: 3 years (SR521SW)

5 1/2"




VC00

Rectangular Case




VC01

Rectangular Case




VC10

Tonneau Case



VC11

Tonneau Case



Case dimensions are for reference only. Final case dimensions depend on water resistance and assembly tolerances.

Standard Movement

PC Series
More information



2 Hands



3 Hands



3 Hands / Date



3 Hands / Day-Date

PC10

Height: 3.15mm
Battery: 2 years (SR527SW)

PC11

Height: 3.15mm
Battery: 2 years (SR527SW)

5 1/2"




PC21J S

Height: 3.15mm
Battery: 3 years (SR626SW)



PC21AE/AF

Height: 3.15mm
Battery: 3 years (SR626SW)



6 3/4" x 8"

PC20S S

Height: 3.15mm
Battery: 2 years (SR626SW)



PC21S S

Height: 3.15mm
Battery: 2 years (SR626SW)



PC22

Height: 4.15mm
Battery: 3 years (SR626SW)



PC23

Height: 4.15mm
Battery: 3 years (SR626SW)



10 1/2"

PC32

Height: 4.15mm
Battery: 3 years (SR626SW)







PC33

Height: 4.15mm
Battery: 3 years (SR626SW)






Hand Height Options





Mechanical Movement

NH34	NH35 / NH36 / NH38 / NH70 / NH71 / NH72		NH37 / NH39
M	M	L	M
 (43.7) 53 56 114	 (46.7) 59 118	 (46.7) 59 158	 (46.7) 59 158 (69)







Premium Chronograph Movement

VK61 / VK63 / VK64 / VK67 / VK68		VK73
L	LL	M
 (50) 50 135 (81)	 (50) 50 180 (130)	 (50) 50 135 (85)



Standard Chronograph Movement

VD5 Series			
M	L	LLA	LLB
 (50.7) 48 135 (65)	 (50.7) 48 180 (110)	 (50.7) 48 261 12h (65) 6h (180) 9h (180)	 (50.7) 48 261 12h (65) 6h (65) 9h (65)





Sweep Second Movement

VH6 Series				VH31	
S	M	L	LA	M	L
 (31) 36 122 (60)	 (49) 58 135 (60)	 (49) 58 190 (115)	 (49) 58 190 (60)	 (49) 58 100	 (49) 58 135









Dual Time Movement

VD3 Series	
M	L
 (50.7) 48 135 (65)	 (50.7) 48 180 (110)




Small Movement

VC00 / VC10		VC01 / VC11	
M	L	M	L
 40 77	 43 107	 (38) 40 77	 (35) 43 107

Slim Movement













VJ20		VJ21		VJ12 / VJ22 / VJ32		VJ23 / VJ33	
M	L	M	L	M	L	M	L
 35 80	 49 125	 (32.7) 35 80	 (37.8) 49 125	 (32.7) 40 77	 (37.8) 49 122	 (32.7) 35 85	 (37.9) 49 130

Standard Movement

PC21		
 (35) 40 85 PC21J	 (35) 46 119 PC21AE	 (35) 35 280 PC21AF









* Dimensions in () are for reference only. * Unit : 1/100mm

Stem Length Options

VD5F / VD50 / VD51 / VD52 / VD53 / VD57 / VD59		VC Series	
Standard	Long	Standard	Long
			
VD31 / VD33 / VD35 / VD37		VJ12 / VJ14 / VJ22 / VJ23 / VJ24 / VJ32 / VJ33 / VJ34	
Standard	Long	Standard	Long
			
VH Series		PC20S / PC21S / PC21J	
Standard	Long	Standard	Long
			

* Unit : 1/100mm








Mechanical Movements - Index






Mechanical Movement			
Date	NH05 7 3/4'''  Height: 5.92mm	NH35 H 12'''  Height: 5.32mm	
	NH06 7 3/4'''  Height: 5.92mm	NH36 H 12'''  Height: 5.32mm	
Day - Date	NH34 12'''  Height: 5.32mm	NH37 12'''  Height: 5.32mm	NH38 H 12'''  Height: 5.32mm
		NH39 12'''  Height: 5.32mm	
Function	NH70 H 12''' Silver  Height: 5.32mm	NH71 H 12''' Gilt  Height: 5.32mm	NH72 H 12''' Ruthenium grey  Height: 5.32mm




H hand height options: P.19-P.20

Quartz Movements

Premium Chronograph Movement					Battery: 3 years	
Date	VK61 H 13½'''  Height: 5.10mm	VK64 H 13½'''  Height: 5.10mm	VK63 H 13½'''  Height: 5.10mm	VK67 H 13½'''  Height: 5.10mm	VK68 H 13½'''  Height: 5.10mm	Big Calendar VK73 H 13½'''  Height: 5.90mm






Standard Chronograph Movement					Battery: 3 years	
No Date	VD54 H 12¾'''  Height: 3.97mm	VD55 H 12¾'''  Height: 3.97mm	VD56 H 12¾'''  Height: 3.97mm	Date VD5F H S 12¾'''  Height: 4.57mm	VD51 H S 12¾'''  Height: 4.57mm	
Date	VD53 H S 12¾'''  Height: 4.57mm	VD57 H S 12¾'''  Height: 4.57mm	VD50 H S 12¾'''  Height: 4.57mm	VD52 H S 12¾'''  Height: 4.57mm	Sun & Moon VD59 H S 12¾'''  Height: 4.57mm	

Dual Time Movement					Battery: 3 years	
No Date	VD32 H 12¾'''  Height: 3.97mm	VD34 H 12¾'''  Height: 3.97mm	VD36 H 12¾'''  Height: 3.97mm	VD38 H 12¾'''  Height: 3.97mm		
Date	VD31 H S 12¾'''  Height: 4.57mm	VD33 H S 12¾'''  Height: 4.57mm	VD35 H S 12¾'''  Height: 4.57mm	VD37 H S 12¾'''  Height: 4.57mm		

Sweep Second Movement						Battery: 2 years	
Multi - eye	VH60 H S 10½'''  Height: 3.45mm	VH65 H S 10½'''  Height: 3.45mm	VH61 H S 10½'''  Height: 3.45mm	VH64 H S 10½'''  Height: 3.45mm	VH63 H S 10½'''  Height: 3.45mm	3 Hands VH31 H S 10½'''  Height: 3.45mm	
	VH68 H S 10½'''  Height: 3.45mm						

Small Movement						Battery: 3 years	
2 Hands	VC00 H S 4¾'''  Height: 2.38mm	VC10 H S 5½'''  Height: 2.38mm	3 Hands	VC01 H S 4¾'''  Height: 2.38mm	VC11 H S 5½'''  Height: 2.38mm		

Slim Movement										Battery: 3 years	
2 Hands	VJ20 H 6¾x8'''  Height: 2.28mm			3 Hands	VJ21 H 6¾x8'''  Height: 2.28mm						
Date	VJ24 S 6¾x8'''  Height: 2.71mm	VJ14 S 8¾'''  Height: 2.71mm	VJ34 S 10½'''  Height: 2.71mm	VJ22 H S 6¾x8'''  Height: 2.71mm	VJ12 H S 8¾'''  Height: 2.71mm	VJ32 H S 10½'''  Height: 2.71mm	VJ42 H S 11½'''  Height: 2.71mm	VJ52 H S 12½'''  Height: 2.71mm			
Big Calendar	VJ76 H S 11½'''  Height: 3.50mm	Day - Date	VJ23 H S 6¾x8'''  Height: 2.94mm	VJ33 H S 10½'''  Height: 2.94mm	VJ43 H S 11½'''  Height: 2.94mm	VJ53 H S 12½'''  Height: 2.94mm	VJ45 H S 11½'''  Height: 2.94mm	VJ55 H S 12½'''  Height: 2.94mm			

Standard Movement						Battery: 2 years / 3 years		
2 Hands	PC10 5½'''  Height: 3.15mm Battery: 2 years	PC20S  6¾x8'''  Height: 3.15mm Battery: 2 years	3 Hands	PC11 5½'''  Height: 3.15mm Battery: 2 years	PC21S  6¾x8'''  Height: 3.15mm Battery: 2 years	PC21J  6¾x8'''  Height: 3.15mm Battery: 3 years	PC21AE 6¾x8'''  Height: 3.15mm Battery: 3 years	PC21AF 6¾x8'''  Height: 3.15mm Battery: 3 years
Date	PC22 6¾x8'''  Height: 4.15mm Battery: 3 years	PC32 10½'''  Height: 4.15mm Battery: 3 years	Day - Date	PC23 6¾x8'''  Height: 4.15mm Battery: 3 years	PC33 10½'''  Height: 4.15mm Battery: 3 years			

* Specifications of the products in this catalogue are subject to change without notice.

H hand height options: P.19-P.20 S stem length options: P.21

Sub-dial Position References

VK63
13½'''

Diagram showing sub-dial positions for the VK63 model. The main dial has three sub-dials at the 3, 6, and 9 o'clock positions. The 3 o'clock sub-dial is a date window. The 6 o'clock sub-dial is a small seconds dial. The 9 o'clock sub-dial is a date window. The distance between the center of the main dial and the center of each sub-dial is 7.5mm.

Premium Chronograph

VD53
12¾'''

Diagram showing sub-dial positions for the VD53 model. The main dial has three sub-dials at the 3, 6, and 9 o'clock positions. The 3 o'clock sub-dial is a date window. The 6 o'clock sub-dial is a small seconds dial. The 9 o'clock sub-dial is a date window. The distance between the center of the main dial and the center of each sub-dial is 7.5mm.

Standard Chronograph

VD33
12¾'''

Diagram showing sub-dial positions for the VD33 model. The main dial has three sub-dials at the 3, 6, and 9 o'clock positions. The 3 o'clock sub-dial is a date window. The 6 o'clock sub-dial is a small seconds dial. The 9 o'clock sub-dial is a date window. The distance between the center of the main dial and the center of each sub-dial is 7.5mm.

Dual Time

VH63
10½'''

Diagram showing sub-dial positions for the VH63 model. The main dial has three sub-dials at the 3, 6, and 9 o'clock positions. The 3 o'clock sub-dial is a date window. The 6 o'clock sub-dial is a small seconds dial. The 9 o'clock sub-dial is a date window. The distance between the center of the main dial and the center of each sub-dial is 6.9mm.

Sweep Second

200%

Watch Design Samples

NH0 Series CASE SIZE 22.5mm(3-9H)

NH3 Series CASE SIZE 43mm(3-9H)

NH3 Series CASE SIZE 43mm(3-9H)

NH7 Series CASE SIZE 39mm(3-9H)

VK Series CASE SIZE 42mm(3-9H)

VK Series CASE SIZE 41mm(3-9H)

VD5 Series CASE SIZE 44mm(3-9H)

VD3 Series CASE SIZE 44mm(3-9H)

VH Series CASE SIZE 40mm(3-9H)

VJ Series CASE SIZE 34mm(3-9H)

VJ Series CASE SIZE 23.5mm(3-9H)

VC Series CASE SIZE 16mm(3-9H)