

MIYOTA
YOUR ENGINE 2007/2008

CITIZEN WATCH CO., LTD.
WATCH PRODUCTS MARKETING
DIVISION

Address: 6-1-12, TANASHI-CHO, TOKYO 188-8511, JAPAN
Phone: +81-424-67-6218
Fax: +81-424-67-1549
Home Page: http://www.citizen.co.jp/miyota_mv/
E-mail: miyota_mvtd@citizen.co.jp

MADE IN JAPAN METAL MOVEMENT
CITIZEN WATCH CO., LTD.



2 Hands



3 Hands



3 Hands Date



3 Hands Day/Date



3 Hands/Date Enlarged Calendar



3 Hands/Date Wide Weekday

SUPER 2035

6³/₄x8'''



Super 2035 GILT
height 3.15mm
4 year battery life (SR6265SW) Mercury Free

- Features of Super 2035**
- 4 Year Battery Life
 - Fine Gold Colour
 - High accuracy of ±15 sec./month
 - Covered Coil
 - Mercury Free Battery
 - Hour Wheel & Dial Washer are Pre-Assembled

BASIC

6³/₄x8'''



2025
height 3.15mm
3 year battery life (SR6265W)



2035
height 3.15mm
3 year battery life (SR6265W)




2015
height 4.15mm
3 year battery life (SR6265W)



2005
height 4.15mm
3 year battery life (SR6265W)

10¹/₂'''




2115
height 4.15mm
3 year battery life (SR6265W)



2105
height 4.15mm
3 year battery life (SR6265W)

11¹/₂'''



2315
height 4.15mm
3 year battery life (SR6265W)



2305
height 4.15mm
3 year battery life (SR6265W)



2353
height 4.15mm
3 year battery life (SR6265W)



2350
height 4.15mm
3 year battery life (SR6265W)

13¹/₂'''



2415
height 4.35mm
3 year battery life (SR6265W)



2405
height 4.35mm
3 year battery life (SR6265W)



2453
height 4.35mm
3 year battery life (SR6265W)



6M55
height 3.85mm
large day/date disc
3 year battery life (SR6215W)

All MIYOTA MOVEMENTS ARE CONFORMED TO RoHS REGULATIONS



2 Hands



3 Hands



2 Hands Date



3 Hands Date



3 Hands Day/Date



2 Hands



3 Hands



2 Hands Date



3 Hands Date



3 Hands Day/Date



2 Hands/
Small Second

SERIES G NEW SLIM

6³/₄x8¹/₈"



GL20 GILT
height 2.28mm
3 year battery life (SR6215W)



GL30 GILT
height 2.28mm
3 year battery life (SR6215W)



GL15 GILT
height 2.71mm
3 year battery life (SR6215W)



GL10 GILT
height 2.71mm
3 year battery life (SR6215W)



GL00 GILT
height 2.94mm
3 year battery life (SR6215W)

8³/₄"

Features of Series G New Slim

- Assembled Hour Wheel
- Non Breakable Date Construction (GL10/GL15/GM10/GM15/GN10/GN15)
- Dust Proof
- Covered Coil
- Super Quick Date Adjusting
- Easy Assembling on Flat Desk



GN15 GILT
height 2.71mm
3 year battery life (SR6215W)



GN10 GILT
height 2.71mm
3 year battery life (SR6215W)

10¹/₂"



GM15 GILT
height 2.71mm
3 year battery life (SR6215W)



GM10 GILT
height 2.71mm
3 year battery life (SR6215W)



GM00 GILT
height 2.94mm
3 year battery life (SR6215W)

SUPER SLIM

6³/₄x8¹/₈"



9T22 GILT
height 1.90mm
2 year battery life (SR6165W)



9T33 GILT
height 1.90mm
2 year battery life (SR6165W)
battery detector function



9T15 GILT
height 2.33mm
2 year battery life (SR6165W)



9T13 GILT
height 2.33mm
2 year battery life (SR6165W)
battery detector function

10¹/₂"



9U15 GILT
height 2.33mm
4 year battery life (SR9165W)



9U13 GILT
height 2.33mm
4 year battery life (SR9165W)
battery detector function

SLIM STANDARD

6³/₄x8¹/₈"



1L22 GILT
height 2.15mm
5 year battery life (SR6165W)



1L32 GILT
height 2.28mm
3 year battery life (SR6215W)



1L15 GILT
height 2.71mm
3 year battery life (SR6215W)



1L12 GILT
height 2.71mm
3 year battery life (SR6215W)



1L02 GILT
height 2.94mm
3 year battery life (SR6215W)



1L40 GILT
height 2.93mm
small second for LADIES!
3 year battery life (SR6215W)

8³/₄"



1N12 GILT
height 2.58mm
2 year battery life (SR6165W)



1L45 GILT
height 2.93mm
small second for GENTS!
3 year battery life (SR6215W)

10¹/₂"



1M15 GILT
height 2.71mm
3 year battery life (SR6215W)



1M12 GILT
height 2.71mm
3 year battery life (SR6215W)



1M02 GILT
height 2.94mm
3 year battery life (SR6215W)

11¹/₂"



1S13 GILT
height 2.71mm
3 year battery life (SR6215W)



1S02 GILT
height 3.07mm
3 year battery life (SR6215W)

PREMIUM SLIM

9³/₄"




0R21 GILT
height 1.64mm
3.5 year battery life (SR9145W)

10¹/₂"




0R15 GILT
height 1.99mm
3.5 year battery life (SR9145W)

Size	6 ³ / ₄ x8 ¹ / ₈ "	6 ³ / ₄ x8 ¹ / ₈ "	6 ³ / ₄ x8 ¹ / ₈ "	6 ³ / ₄ x8 ¹ / ₈ "	6 ³ / ₄ x8 ¹ / ₈ "	8 ³ / ₄ "	8 ³ / ₄ "	10 ¹ / ₂ "	10 ¹ / ₂ "	10 ¹ / ₂ "
Cal. Nr.	GL20	GL30	GL15	GL10	GL00	GN15	GN10	GM15	GM10	GM00
Cal. Nr.	(1L22)	1L32	1L15	1L12	1L02		(1N12)	1M15	1M12	1M02
Thickness	2.28mm (2.15mm)	2.28mm	2.71mm	2.71mm	2.94mm	2.71mm	2.71mm (2.58mm)	2.71mm	2.71mm	2.94mm
Hands	2 hands	3 hands	2 hands	3 hands	3 hands	2 hands	3 hands	2 hands	3 hands	3 hands
Day/Date			date	date	day-date	date	date	date	date	day-date
Battery Life	3 years (3 years)	3 years	3 years	3 years	3 years	3 years	3 years (2 years)	3 years	3 years	3 years
Battery	SR6215W	SR6215W	SR6215W	SR6215W	SR6215W	SR6215W	SR6215W (SR6165W)	SR6215W	SR6215W	SR6215W




4'''


2 Hands



4S20 GILT
height 2.95mm
2 year battery life (SR5125W)
size: #9.9 x 9.4mm




3 Hands




3 3/4'''

5R21 GILT
height 1.90mm
4 year battery life (SR4165W)
size: 9.0 x 13.2 x 13.5mm




5R32 GILT
height 2.00mm
2 year battery life (SR4165W)
size: 9.0 x 13.2 x 13.5mm



5 1/2 x 6 3/4'''


upgrade

5Y20
height 2.54mm
3 year battery life (SR5215W)




upgrade

5Y30
height 2.54mm
2 year battery life (SR5215W)




6 3/4 x 8'''


12H Big Date



3H Big Date




1L50
height 2.94mm
3 year battery life (SR6215W)
big date disc



10 1/2'''

1M52
height 3.07mm
3 year battery life (SR6215W)
big date at 12H



1M50
height 2.94mm
3 year battery life (SR6215W)
big date disc

MECHANICAL (Automatic)



3 Hands Date



3 Hands Date



3 Hands Day/Date



Skeleton Model



8 3/4'''

6751
height 5.98mm
21 jewels/automatic winding
quick date setting/easy day setting
bilingual weekday



8N24 GILT
height 5.55mm
21 jewels / automatic winding



11 1/2'''

8215
height 5.67mm
21 jewels/automatic winding
quick date setting
















821A
height 5.67mm
21 jewels/automatic winding
quick date setting



8205
height 5.67mm
21 jewels/automatic winding
quick date setting
bilingual weekday



8N24
height 5.55mm
21 jewels / automatic winding

10 1/2'''	Basic 3 Eyes	3 & 4 Eyes	1 & 2 Eyes	2 & 3 Eyes With Moon Phase	Special Eyes
	 6P05 height 3.45mm 3 eyes (Day/Date/Month) 3 year battery life (SR6215W)	 6P09 height 3.45mm 4 eyes (Month/Day/Date/24 hour) 3 year battery life (SR6215W)	 6P23 height 3.45mm 2 eyes (Date/24 hour) 3 year battery life (SR6215W)	 6P00 height 3.45mm 3 eyes (Day/Date/Month/moon phase) 3 year battery life (SR6215W)	 6P21 height 3.45mm 2 eyes (Day/Month/moon phase) 3 year battery life (SR6215W)
	 6P27 height 3.45mm 3 eyes (Day/Date/24 hour) 3 year battery life (SR6215W)	 6P89 height 3.85mm/month disc 3 eyes (Day/Date/24 hour) 3 year battery life (SR6215W)	 6P25 height 3.45mm 2 eyes (Day/Date) 3 year battery life (SR6215W)	 6P20 height 3.45mm 2 eyes (Day/Date/moon phase) 3 year battery life (SR6215W)	 6P24 height 3.45mm moon phase 3 year battery life (SR6215W)
	 6P29 height 3.45mm 3 eyes (Day/Date/24 hour) 3 year battery life (SR6215W)	 6P26 height 3.45mm 1 eye (Date) 3 year battery life (SR6215W)	 6P80 height 3.85mm/date pointer 2 discs (Day/Month/moon phase) 3 year battery life (SR6215W)		




LUXURIOUS FUNCTION

12'''

Retrograde Dual Time Big Date at 12H GP00 height 4.40mm 3 year battery life (SR9205W)	Retrograde Dual Time Big Date at 3H GP01 height 4.40mm 3 year battery life (SR9205W)	Retrograde Dual Time Big Date at 3H 24Hour GP03 height 4.40mm 3 year battery life (SR9205W)	Small Sec Big Date at 12H GP10 height 4.40mm 3 year battery life (SR9205W)	Small Sec Big Date at 3H GP11 height 4.40mm 3 year battery life (SR9205W)
Big Date GP30 height 4.40mm 3 year battery life (SR9205W)	Double Retrograde Dual Time Date GP50 height 3.80mm 3 year battery life (SR9205W)	Double Retrograde Dual Time Date 24 Hour GP52 height 3.80mm 3 year battery life (SR9205W)	 Cal. GP00	

COMBINATION

 3 Hands/ 6 Digits Alarm-Chrono T200/T205 height 3.16mm month-day/date/12 & 24H alarm/chrono/chime/comp (T200) T200 3 years/T205 3.5 years (SR927W) size:#28.4 x 27.8 x 25.0mm	 3 Hands/ 6 Digits Alarm-Chrono T201/T206 height 3.16mm month-day/date/12 & 24H alarm/chrono/chime/comp (T201) T201 3 years/T206 3.5 years (SR927W) size:#28.4 x 27.8 x 25.0mm	 3 Hands/ 12 Digits Alarm-Chrono T240 height 4.91mm month-day/date/12 & 24H alarm/chrono/chime 2 year battery life (SR927W) size:#30.8 x 27.4 x 26.0mm T241:00A [Display Background : Standard] T241:00C [Display Background : Black]	 3 Hands/ 12 Digits Count Down T241 height 4.91mm month-day/date/12 & 24H alarm/chrono/chime/count down 2 year battery life (SR927W) size:#30.8 x 27.4 x 26.0mm T241:00A [Display Background : Standard] T241:00C [Display Background : Black]	 3 Hands/ 9 Digits World Time T270 height 4.91mm month-day/date/12 & 24H 30 cities time/alarm/chrono/timer 2 year battery life (SR927W) size:#30.8 x 27.4 x 26.0mm T270:00A [Display Background : Standard] T270:00C [Display Background : Black]
---	---	--	---	--





MINI CHRONO (MULTI PURPOSE CHRONO)

10 1/2'''

For Slanted Push Button	For Parallel Push Button
 FS60 height 5.10mm date chrono min at 10H/sec at 6H/ retrograde day at 3H 2 year battery life (SR6265W)	 FS61 height 5.25mm date chrono min at 10H/sec at 6H/ retrograde day at 3H 2 year battery life (SR6265W)
 FS00 height 4.13mm date chrono min at 10H/sec at 6H/ 24 hour at 2H 2 year battery life (SR6265W)	 FS01 height 4.28mm date chrono min at 10H/sec at 6H/ 24 hour at 2H 2 year battery life (SR6265W)
 FS10 height 5.10mm date chrono min at 9H/sec at 6H/ 24 hour at 12H 2 year battery life (SR6265W)	 FS11 height 5.25mm date chrono min at 9H/sec at 6H/ 24 hour at 12H 2 year battery life (SR6265W)
 FS20 height 5.10mm date chrono min at 9H/sec at 6H/ 24 hour at 3H 2 year battery life (SR6265W)	 FS21 height 5.25mm date chrono min at 9H/sec at 6H/ 24 hour at 3H 2 year battery life (SR6265W)

※ FS10, FS20, FS60 → Case Compatible (height 5.10mm)
 ※ FS11, FS21, FS61 → Case Compatible (height 5.25mm)

● Spacer For Parallel Push Button Model FS*0 & FS*1 are the same movement. The only difference is each of FS*1 series has a special spacer for parallel push button attached on FS*0.



● Center second hand Chronograph
 ● Quick Reset (by Heart Cam reset system)
 ● Click feeling Push Button handling (by Heart Cam reset system)

CHRONO



3 Eyes/Date Chrono Second



3 Eyes/Date Chrono Second High Hand

13 1/2'''



OS10
height 4.13mm date
chrono hour/min/sec
3 year battery life (SR927W)



OS1A
height 4.13mm date
chrono hour/min/sec
3 year battery life (SR927W)



3 Eyes/Date Chrono Second



2 Eyes/Date Chrono Second



OS20
height 5.10mm date
chrono min/sec, 24 hour
3 year battery life (SR927W)



OS21
height 5.10mm date
chrono min/sec, 24 hour
3 year battery life (SR927W)



2 Eyes/Date Chrono Second



3 Eyes Chrono Second



OS11
height 4.13mm date
chrono min/sec
3 year battery life (SR927W)



OS30
height 4.13mm
chrono hour/min/sec
3 year battery life (SR927W)

PROFESSIONAL CHRONO



3 Eyes/Date Chrono 1/20 Second



3 Eyes/Date Chrono 1/20 Second

13 1/2'''



OS60
height 4.13mm date
chrono min/sec + 1/20 second
FAST TURNING CHRONO HAND:
1/20 sec. measuring indicated by 6H second hand
(operative in specific mode)
2 year battery life (SR927W)



OS25
height 5.10mm date
chrono min/sec + 1/20 second, 24 hour
FAST TURNING CHRONO HAND:
1/20 sec. measuring indicated by 6H second hand
(operative in specific mode)
2 year battery life (SR927W)



3 Eyes/Date Alarm-Chrono 1/20 Second



3 Eyes/Date Chrono 1/100 Second



OS80
height 4.68mm date
chrono hour/min/sec + 1/20 second & alarm
FAST TURNING CHRONO HAND:
1/20 sec. measuring indicated by 6H second hand
(operative in specific mode)
2 year battery life (SR927W)



OS90
height 4.13mm date
chrono min/sec + 1/100 second, 24 hour
FAST TURNING CHRONO HAND:
1/100 sec. measuring indicated by center hand
(operative in specific mode)
2 year battery life (SR927W)

RETROGRADE CHRONO

13 1/2'''



OS62
height 4.13mm date
chrono hour/min/sec + 1/20 second
FAST TURNING CHRONO HAND:
1/20 sec. measuring indicated by 6H second hand
(operative in specific mode)
2 year battery life (SR927W)



OS22
height 5.10mm date
chrono min/sec, 24 hour
FAST TURNING CHRONO HAND:
1/20 sec. measuring indicated by 6H second hand
(operative in specific mode)
2 year battery life (SR927W)



STOP WATCH

12 1/2'''



JS00
height 4.18mm
stopwatch 30min/sec, 24 hour
2 year battery life (SR621SW)



JS50
height 4.18mm
stopwatch 30min/sec, 24 hour
2 year battery life (SR621SW)



Parallel pusher is available.

24H/DUAL TIME ALARM

10 1/2'''



3 Hands/Date 24H/Dual Time

6M17
height 3.30mm
24 hour hand/dual time/date
3 year battery life (SR621SW)

10 1/2'''



3 Hands

6L71
height 3.95mm
repeat alarm
2 year battery life (SR626W)



3 Hands Date

6L76
height 4.47mm
repeat alarm/date
2 year battery life (SR626W)

E/L

10'''



3 Hands

OU30
height 4.10mm
electro-luminescent display
3.5 year battery life (SR626W)
for Ladies' size

13'''



3 Hands

6N30
height 3.55mm
electro-luminescent display
2 year battery life (SR621W)



3 Hands Date

6N10
height 4.30mm/date
electro-luminescent display
2 year battery life (SR621W)

13 1/2'''



3 Hands 6H Digital Display

T250
height 4.91mm
month/day/date / 12 & 24H
alarm/chrono/chrime
electro-luminescent display
3 year battery life (SR927W)
size: #30.8 x 27.4 x 26.0mm

DISC SECOND

6 3/4 x 8'''



2 Hands Disc Second

2034
height 3.15mm
high torque for second-disc
1.2 year battery life (SR626SW)

10 1/2'''



2 Hands Second Disc Under Dial

213D
height 4.40mm
1.2 year battery life (SR626SW)
second disc under dial

10 YEAR BATTERY LIFE

6 3/4 x 8'''



3 Hands Date

1L60
height 4.30mm
10 year battery life (CK1616)

10 1/2'''



3 Hands Day/Date

2S60
height 3.99mm
10 year battery life (CK2012)

SOLAR

13 1/2'''



3 Hands

5L81
size: #30.8 x 26.0mm
height 5.41mm (incl. Solarcell and dial)
5 months after full charge
including half transparent dial
(Dial to be colored or printed on your side)